aserliner

X3-Laser Pro



Three-dimensional laser with three green 360° laser circles and magnetic clamp and wall bracket

The three-dimensional cross-line laser allows the exact horizontal and vertical alignment of objects. Green laser technology ensures high visibility of the laser lines. The measuring device is optimised for work close to the ceiling, can be mounted in a variety of ways and has a long operating time.

- Exact horizontal and vertical alignment of objects
- · Good visibility through green laser technology
- Time-saving automatic alignment
- Easy alignment of slopes
- Practical plumb function thanks to laser crosses
- Ideal for work close to the ceiling
- Visual signals indicate when the device is outside its self-levelling range
- Integrated hand-held receiver mode for outdoor applications
- Simple horizontal and vertical mounting on drywall construction profiles
- Connection for power supply unit for continuous operation
- Long battery operating time thanks to powerful lithium-ion rechargeable battery
- Extra battery for extended operating time

TECHNICAL SPECIFICATIONS	
SELF-LEVELLING RANGE	±3°
ACCURACY	± 0.2 mm / m
LEVELLING	automatic
VISIBILITY (TYPICAL)*	vertical: 40 m / horizontal: 60 m
WORKING RANGE WITH HAND RECEIVER	(depends on how the technology affects the difference in brightness) 60 m
LASER WAVELENGTH	515 nm
LASER CLASS	2 / < 1 mW (EN 60825-1:2014/AC:2017)
POWER SOURCE	Li-ion battery pack 3.7V / 4.5Ah Power adapter 5V/DC / 1A Power adapter 5V/DC / 2A
OPERATING TIME	with 3 laser levels: approx. 3 hours with 2 laser levels: approx. 5.5 hours with 1 laser level: approx. 8 hours
OPERATING CONDITIONS	0°C 50°C, max. humidity 80% rH, no condensation, max. working altitude 4000 m above sea level
STORAGE CONDITIONS	-10°C 70°C, max. humidity 80% rH
DIMENSIONS (W X H X D)	140 mm x 125 mm x 103 mm
WEIGHT	925 g (incl. battery pack)
	* at max. 300 lux

TECHNICAL SPECIFICATIONS















































